

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**



09/936686  
The  
Patent  
Office

PCT/GB 00/01160



INVESTOR IN PEOPLE

GB00/1160

**PRIORITY  
DOCUMENT**  
SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

REC'D 01 MAY 2000

WIPO


PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

*AmBrewster*

Dated

12 April 2000


**THIS PAGE BLANK (USPTO)**

# The Patent Office

1/77  
26MAR99 E435533-4 000354  
P01/7700 0.00 - 9906899.1

## Request for grant of a patent

(see the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

1.	Your reference	DE/J088373PGB		
2.	Patent application number (The Patent Office will fill in this part)	9906899.1 26 MAR 1999		
3.	Full name, address and postcode of the or of each applicant (underline all surnames)	DYNAMIC PRODUCTS LIMITED SEFTON STREET HEYWOOD LANCASHIRE OL10 2JF		
	Patents ADP number (if you know it)	7535297001		
	If the applicant is a corporate body, give the country/state of its incorporation	UNITED KINGDOM		
4.	Title of the invention	FLAVOURING OR AROMATISATION OF AN INFUSION		
5.	Name of your agent (if you have one)	Marks & Clerk		
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	Sussex House 83-85 Mosley Street Manchester M2 3LG		
	Patents ADP number (if you know it)	18004 ✓		
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day/month/year)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day/month/year)	
8.	Is a statement of Inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		

# Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form.  
Do not count copies of the same document

Continuation sheets of this form

Description

7

Claim(s)

2

Abstract

1

Drawing(s)

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of Inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*)

Request for substantive examination (*Patents Form 10/77*)

Any other documents (*Please specify*)

11. I/We request the grant of a patent on the basis of this application.

Signature MARKS & CLERK

Date 25/03/99

12. Name and daytime telephone number of person to contact in the United Kingdom MR. DAVE EVERY  
0161 233 5804

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

## FLAVOURING OR AROMATISATION OF AN INFUSION

The present invention relates to a method for the flavouring or aromatisation of an infusion and more particularly to a method for producing a product that is used to make a flavoured or aromatized infusion such as, for example, a tea beverage.

It is well known to flavour or aromatise vegetable matter with natural or synthetic flavours. In the case of tea, the leaves are often flavoured or aromatised with essential oils such as bergamot or jasmine or, in some countries, spices such as mint or cardamom. In recent years there has been an increase in popularity of fruit flavoured teas such as, for example, strawberry, raspberry, lemon, blackcurrant or peach.

Flavouring or aromatisation is also used in some instances to prolong the storage life of tea without impairing its taste.

Flavouring of tea can be performed by spraying a liquid flavour in an inert edible solvent directly on to a fluidised bed of tea leaves. An example of this technique is described in EP-A-0070719. However, this method has a disadvantage in that the flavouring solution has a tendency to evaporate from the surface of the sprayed leaves during subsequent drying, storage, transportation or handling. The evaporation of the solution leads to the loss of the top notes of flavour in the resulting infusion.

In an alternative method the flavouring takes the form of solid particles that are mixed with the tea leaves on a fluidised bed (as referred to above). A disadvantage of this method is that there is a tendency for the flavour particles to separate from the leaves under the effect of gravity during storage, transportation or handling. In addition, the flavour particles tend to egress through the walls of the tea bags in which they are contained.

In both the aforementioned methods the disadvantages lead to a tea product that has a non-uniform flavour.

US-A-4880649 describes a process for flavouring an edible composition in the form of leaves, powders or particles. The composition is flavoured with an emulsion containing an active volatile flavouring substance that is non-miscible with water. The

emulsion is applied by direct spraying on to the exposed surface of the composition or a carrier package for the composition (such as a tea-bag or a filter) and comprises the flavouring substance, an aqueous solution of a film-building water soluble vehicle and an emulsifying agent. The flavouring substance is initially retained on the surface of the composition by adhesion of the emulsion as a result of the bonding effect of the film-building vehicle. After the sprayed composition is dried (for example, by evaporation or absorption of the water used in preparing the emulsion) the flavouring substance is incorporated within a protective water-soluble dry layer of the film-building vehicle. In use, when the sprayed composition or carrier is immersed in water the film-building vehicle dissolves in water so as to release the flavouring substance. A disadvantage of this process is that the flavour may not be uniformly distributed throughout the composition. Whilst the method does address part of the problem of flavour evaporation, some of the flavouring substance that is exposed at the surface of the film coating will nevertheless evaporate during the drying process.

EP-A-0499858 describes a process for the aromatisation of vegetable matter such as tea using particulate micro-encapsulated flavour. Micro-encapsulated flavour powders are produced by spray-drying as a liquid on to a maltodextrin support and the particles are sieved so as to remove the smallest. Peanut oil is then mixed with the flavour particles to provide a coating which increases the particle size and the tendency of the particles to agglomerate. The coated flavour is mixed with the tea leaves and placed within tea bags. The coated, agglomerated particles are too large to egress through the walls of the tea bag material during packing and handling. When the bag is infused the peanut oil is dispersed and the flavour is released so as to pass through the bag material. This process has several disadvantages. First, the strength of a particular infusion depends on the distribution of the mix prior to bagging. The coated flavour particles will tend to separate from the tea leaves under gravitational action prior to bagging, particularly during transportation. Moreover, the peanut oil tends to pass through the bag during the infusion process and may influence the flavour or appearance of the infused beverage. In addition, since a tea manufacturer will generally produce a range of teas with different flavours the tea leaves are



generally mixed with the flavouring in relatively small batches and there is a risk of cross-contamination between batches having different flavourings.

It is an object of the present invention to obviate or mitigate the aforesaid disadvantages.

According to a first aspect of the present invention there is provided a process for the flavouring or aromatisation of product to be infused comprising the steps of producing micro-encapsulated flavour particles, bonding the particles to a porous carrier and introducing the product into the carrier.

The term "particle" or "particles" is used herein to cover an encapsulated solid particle or liquid droplet of flavouring.

The carrier may be constructed of cellulose-based material such as that used in the manufacture of tea bags. It may be constructed, for example, of cellulose or a mixture of cellulose material and a polyolefin.

Preferably the particles are applied to the carrier using a dosing process to control the distribution of particles on the carrier. The dosing process may be a metered printing process by which the quantity of particles per unit of surface area of the carrier material can be controlled. The particles may be suspended in a liquid solution for this purpose.

The flavour may be conveniently encapsulated in a gum so that the capsule has adhesive properties that allow it to bond to the carrier.

Preferably the flavour is encapsulated by a capsule that is frangible within a pre-determined temperature range so that the flavour is released when infused in fluid within or above that particular temperature range.

The flavouring in the capsule is conveniently designed to increase in internal vapour pressure within said pre-determined temperature range so as induce rupture of said capsule. In addition, or in the alternative, the capsule may have a gum-based coating that is designed to weaken in said temperature range so as to induce rupture of said capsule.

According to a second aspect of the present invention there is provided an infusion product manufactured according to the process defined above.

According to a third aspect of the present invention there is provided a porous product carrier to which are bonded micro-encapsulated flavour particles.

The micro-encapsulated flavouring particles are formed by a known coascervation method and are suspended in an aqueous solution. Each capsule contains flavouring oils and is hermetically sealed by an outer wall of entirely edible gel or gum-based material. The size of the capsule is accurately determined during manufacture so that the strength of the flavouring oil in use is controlled.

The micro-encapsulated particles are applied to a porous cellulosic (or a combination of cellulose and polyolefin) material from which tea-bags or the like are manufactured by a known dosing process such as metered printing (e.g. rotogravure printing). After printing, the water is absorbed, dried and/or evaporates leaving the capsules bonded to the surface of the material. The capsules are designed not to rupture under external mechanical stress during processing.

The material is then cut into tea bag form, filled with tea leaves and sealed in a conventional manner.

In use, the tea-bag is infused in hot water in the usual way. As the capsules are heated by the water there is a continual weakening of the capsule wall strength and simultaneously a continual increase in the internal vapour pressure of the flavoured oil within the capsule. When the temperature of the capsule is within a predetermined temperature range the combined effect of increasing internal pressure and the weakening of the capsule walls results in catastrophic failure of the capsule material. The oil is instantaneously released, passes through the tea bag material and into the water. The capsule material is designed to dissolve in the water after rupture.

There are many advantages to using the process of the present invention in the production of flavoured products (such tea) for infusion. First, the amount of flavouring oil per tea bag can be carefully controlled as a result of the micro-encapsulation process and dosing process. The micro-encapsulation process provides careful metering of the size of oil droplet in each capsule. If an engraved metering roller (such as that used in gravure printing) is used in the printing process to apply the particles to the bag material the quantity of capsules per unit surface area of the

bag material can be controlled. The control of the capsule size and their distribution over the bag enables tea-bags to be produced with flavour characteristics that are reproducible between batches. Secondly, since there is no need to subject the tea leaves to a flavour coating or mixing process not only is the tea production procedure simplified but also there is no risk of cross contamination of flavours between batches of tea. Indeed the tea can be bagged in larger batch sizes in view of the elimination of the mixing or coating stage. Thirdly, the elimination of evaporation of the flavouring oil by using hermetically sealed capsules prevents the loss of top notes of flavour. Notwithstanding this, the oil can be pre-treated by, for example, heating to remove the flavour top notes prior to encapsulation if it is desired to simulate the flavour of a conventional tea infusion.

The micro-encapsulation of the flavouring oil ensures that it is hermetically sealed so that if the tea bag is used after prolonged storage the flavour of the infusion remains fresh without the need for special flavour-retaining packaging.

The process of the present invention provides for a simplified procedure for producing an infusion product with improved quality.

Specific embodiments of the present invention will now be described, by way of illustration only, with reference to the following example.

#### EXAMPLE

A batch of earl grey tea was made using bergamot oil as the flavouring. A coascervation micro-encapsulation process was performed using 1 kg of bergamot oil and 5.02kg of other ingredients (principally de-ionised water) to form 6.02kg of aqueous solution with micro-capsules. A quantity of 0.3% to 5% of colloids comprising Gum Acacia and a specific gelatine with a suitable isoelectric point were dissolved in 40% to 90% of deionized water and conditioned with suitable reagents including emulsifiers. Following a brief period of heating to 26°C to 60°C, a quantity of 5% to 50% of bergamot oil was rapidly added and sufficiently agitated to produce droplets of an average diameter of 15 $\mu$  (the majority being within a range of 5 to 25 $\mu$ ). The resulting mixture is adjusted to a pH level of between 4.2 and 8.0 to induce a

controlled precipitation of the colloids at the boundary between the water and the bergamot oil. Following a period of stirring, the mixture was allowed to cool gradually to ambient temperature and then force-chilled to 5 to 18°C leaving a plurality of capsules filled with droplets of bergamot oil. Following a further period of stirring of 10 to 90 minutes 0.5% to 15% of a rheology modifying Gum Acacia colloid was added and dispersed so as to form a first coating over the existing capsules. Thereafter 0.05% to 15% of rheology modifying Xantham Gum was added and dispersed to form a second coating over the outside of the first coating. The first and second coatings of the capsules facilitate application of the capsules to the tea bag material during a subsequent dosing process described below and dictate the strength of bond of the capsule to the tea bag material.

The tea bag material was manufactured in a conventional manner and the solution of micro-encapsulated droplets was applied thereto in measured doses by a flexographic printing process. In the particular process used here an "inking" roller turns within a reservoir of solution (which is constantly agitated). The gum coatings on the capsules enable them to adhere to the inking roller so that they are pulled out of the reservoir by the roller which then applies the solution to an Anilox micro-engraved metering roller with which it is in circumferential contact. The solution is distributed into discrete doses in the engraved patterns of the roller. The Anilox roller then transfers the doses of solution to a printing roller by which they are applied to the tea bag material. In this example, the metering of the solution was such that a wet film weight of 2g/square metre was applied. This equates to an oil distribution of 0.34g per square metre.

The printing roller ensures that the capsules are pressed into intimate contact with the tea bag material so that they are embedded into the material fibres. The gums within the capsule coatings ensure effective adhesion of the capsules to a plurality of fibres of the material.

Once printed, the majority of the water is absorbed into the tea bag material although some may evaporate during and after the printing process.

The bag material was then formed, filled and sealed using conventional apparatus and processes. Tea-bags of 65 square millimetres were formed. With each bag having two sides the total surface area of each bag was  $0.00845 \text{ m}^2$  and therefore an average  $0.00287\text{g}$  of flavouring oil per bag was applied. The tea bag was filled with approximately  $2.2\text{g}$  of tea leaves before being sealed.

The infused tea bag gave a brew of similar strength to teas manufactured according to conventional methods but without the loss of top notes of the flavouring oil.

It will be appreciated that the present invention has application not only to tea bags but also other infusions in which a product to be infused is held by a porous carrier. For example, filter papers used in the brewing of coffee or other beverages.

It will also be understood that any appropriate controlled dosing process may be used to apply the micro-encapsulated particles in solution to the tea bag material. For example, spraying may be used without risk of evaporation of the flavouring. Moreover, there are many alternative metered printing configurations that may be used instead of that described in the example described herein. These alternatives will be evident to the skilled person in the art.

### CLAIMS

1. A process for the flavouring or aromatisation of product to be infused comprising the steps of producing micro-encapsulated particles of flavour, bonding the particles to a porous carrier and introducing the product into the carrier.
2. A process according to claim 1, wherein the carrier is a cellulose-based material.
3. A process according to claim 1 or 2, wherein the particles are applied to the carrier using a dosing process to control the distribution of particles on the carrier.
4. A process according to claim 3, wherein the dosing process is a metered printing process.
5. A process according to any preceding claim, wherein the flavour is encapsulated in a gum that has adhesive properties.
6. A process according to any preceding claim, wherein the flavouring is encapsulated by a capsule that is frangible within a pre-determined temperature range.
7. A process according to claim 6, wherein the flavouring in the capsule is designed to increase in internal vapour pressure within said pre-determined temperature range so as induce rupture of said capsule.

8. A process according to claim 6 or 7, wherein the capsule has a gum-based coating that is designed to weaken in said temperature range so as to induce rupture of said capsule.
9. An infusion product manufactured according to the process of any preceding claim.
10. A porous product carrier to which are bonded micro-encapsulated flavour particles.

ABSTRACTFLAVOURING OR AROMATISATION OF AN INFUSION

A process for the flavouring or aromatisation of product to be infused comprises the steps of producing micro-encapsulated particles of flavour and bonding them to a porous carrier such as a tea bag. The tea bag is then filled and sealed in the usual way. The process simplifies tea production and ensures that flavour is accurately reproducible between batches. There is no risk of cross contamination of flavours between batches of tea and tea can be bagged in larger batch sizes. The resulting infusion has no loss of flavouring top notes.



**THIS PAGE BLANK (USPTO)**

PCT/6B00/01160

27/3/00

Marks & Clerk